

SAH

SAH

010 1950~2010 Embase 1980~2010
1979~2010

Cochrane

18 1 322 SA

0.66 95% CI 0.52 0.82 P=0.0003]

SAH CT

SAH CVS

2011 04-0200-04

A

KIE...-ling, HOU Yu-li. Department of Neurology, The
 an C...
)).
), CN...
 rology a...
 ontrolled tr...
 the Coch...
 iewers. Me...
 tten. The in...
 0003). The in...
 =0.03). The in...
 RR=0.67, 95%...
 significantly reduc...
 to assess the curative effect of fasudil (FSD) on cer...
 of the Cochrane Library (Issue 4, 2010), Medline...
 d so on were searched by an electronic comput...
 ical Neurology were manually searched to collec...
 ents with CVS after SAH. The quality of all the tra...
 Systematic Reviews of Interventions and the data...
 performed by RevMan 5.0 software. Eight...
 the FSD group was significantly lower than that...
 ity in the FSD group was significantly lower than...
 cerebral low density area on CT in the FSD grou...
 P=0.002). The incidences of CVS an...
 treatment in the patients with SAH.

Hemorrhage; Cerebral vasospasm; FSD; Rando

...s

Rho/Rho
subarachnoid hemorrhage SAH
cerebrovascular spasm CVS

CVS


Cochrane CVS 1.1.2

3


09-153X.2011.04.004

001

Study	事件数	对照	总例数
Li ZHONG 2006	2	0	32
Li JIAN 2006	2	0	32
佟伟 2006	2	0	10
李振 2006	2	0	20
功臣 2008	2	0	24
李智 2008	2	0	66
李智 2008	2	0	10
韦军武 2008	2	0	16
张 2008	2	0	7




Study	事件数	对照	总例数
Li ZHONG 2006	2	0	32
Li JIAN 2006	2	0	32
佟伟 2006	2	0	10
李振 2006	2	0	20
功臣 2008	2	0	24
李智 2008	2	0	66
李智 2008	2	0	10
韦军武 2008	2	0	16
张 2008	2	0	7



[1] Julian PT Higgins, Douglas G Altman. Chapter 8: Assessing the

risk of bias in included studies. In: Higgins JPT, Green S eds. Cochrane Handbook for Systematic Reviews of Interventions Version 5.0.2 [updated September 2009]. The Cochrane Collaboration.



3	CT	Meta
[3] Masaoka H, Takasato Y, Nojiri T, et al. Clinical effect of fasudil hydrochloride for cerebral vasospasm following subarachnoid hemorrhage [J]. Acta neurochirurgica. Supplement, 2001, 77: 209-211.	[13] .	[J]. 2009;26 5 580-582.
[4] Zhao J, Zhou D, Guo J, et al. Effect of fasudil hydrochloride, a protein kinase inhibitor, on cerebral vasospasm and delayed cerebral ischemic symptoms after aneurysmal subarachnoid hemorrhage: results of a randomized trial of fasudil hydrochloride versus nimodipine [J]. Neurol Med Chir (Tokyo), 2006, (9): 421-427.	[14] [J].	[J]. 2009;47 8 83-84.
[5] Ma J, Yang S, Hong G, et al. Effect of fasudil hydrochloride on cerebral vasospasm following aneurysmal subarachnoid hemorrhage in phase II clinical trial [J]. J Chin Clin Med, 2009, 4(2): 61-72.	[15] .	[J]. 2009 26 4 607-608.
[6] .	[16] .	[J]. 2009 28 4 481-483.
[7] .	[17] .	[J]. 2009 9 2 299-300.
[8] .	[18] .	[J]. 2009 2 12 1267-1269.
[9] .	[19] .	[J]. 2010 31 8 1034-1036.
[10] .	[20] Rembold CM. Regulation of contraction and relaxation in arterial smooth muscle [J]. Hypertension 1992 20: 129-137.	[J]. 2010 48 5 112-125.
[11] .	[21] Feigin VL, Rinkel GJ, Algra A, et al. Calcium antagonist is in patients with aneurysmal subarachnoid hemorrhage: a systematic review [J]. Neurology 1998 50: 876-883.	[J]. 2008 8 16 3844-3845.
[12] .	[22] Ferro JM, Canhão P, Peralta R. Update on s	[J]. 2008 9 1 62-66.